

# KAPTAN


Çelik Halat Sanayi  
ve Ticaret A.Ş.

FİYAT LİSTESİ / 24 KASIM 2023 - PRICES




SINCE 1946

6x36+L.ÖZ



Ø	Siyah	Galvanizli
	€/M	€/M
10mm	2,06	2,42
12mm	2,56	3,01
13mm	3,00	3,53
14mm	3,31	3,90
16mm	3,97	4,70
18mm	4,95	5,82
19mm	5,80	6,82
20mm	5,97	7,01
22mm	6,91	8,15
24mm	8,16	9,60
26mm	9,53	11,20
28mm	10,62	11,95
30mm	12,20	13,75
32mm	13,90	15,60
34mm	15,70	17,65
36mm	17,60	19,80
38mm	19,60	22,05
40mm	21,70	24,40
44mm	26,25	29,50
48mm	30,45	34,25
52mm	35,70	40,15
56mm	41,40	46,60
60mm	47,60	53,55
64mm	54,10	61,00

6x36+Ç.ÖZ




Ø	Siyah	Galvanizli
	€/M	€/M
10mm	2,23	2,62
12mm	2,78	3,30
13mm	3,26	3,85
14mm	3,60	4,25
16mm	4,30	5,05
18mm	5,38	6,35
19mm	5,70	6,70
20mm	6,47	7,60
22mm	7,79	9,15
24mm	9,18	10,80
26mm	10,76	12,65
28mm	11,98	13,50
30mm	13,58	15,30
32mm	15,46	17,40
34mm	17,45	19,65
36mm	19,56	22,00
38mm	21,80	24,55
40mm	24,15	27,20
44mm	29,25	32,90
48mm	34,80	39,15
52mm	40,85	46,00
56mm	46,80	53,00
60mm	53,75	61,00
64mm	61,10	69,00
70mm	73,10	83,00

19x7 NUFLEX



Ø	Siyah	Galvanizli
	€/M	€/M
4mm		0,98
5mm		1,25
6mm	1,62	1,90
8mm	1,79	2,10
9mm	2,10	2,55
10mm	2,36	2,80
11mm	2,80	3,35
12mm	3,19	3,75
13mm	3,60	4,20
14mm	3,82	4,50
16mm	4,87	5,75
18mm	6,11	7,20
19mm	6,81	8,00
20mm	7,39	8,70
22mm	8,95	10,55
24mm	10,43	12,30
26mm	12,12	14,25
28mm	14,01	15,80

35x7 NUFLEX



Ø	Galvanizli
	€/M
20mm	11,35
22mm	13,70
24mm	15,30
26mm	17,70
28mm	19,40
32mm	25,30

6x19+L.ÖZ




Ø	Siyah	Galvanizli
	€/M	€/M
6mm	0,72	0,84
8mm	1,18	1,40
10mm	1,58	1,85
12mm	2,18	2,56
14mm	2,77	3,25
16mm	3,56	4,20
18mm	4,50	5,30
20mm	5,40	6,40

6x19+Ç.ÖZ




Galvanizli
€/M
0,95
1,54
2,07

6x12+7 Gergi Halatı




Ø	Siyah	Galvanizli
	€/M	€/M
6mm	0,47	0,55
8mm	0,75	0,88
10mm	1,08	1,27
12mm	1,55	1,82
14mm	2,06	2,40
16mm	2,69	3,15
18mm	3,70	4,35

6x7+L.ÖZ



Ø	Galvanizli
	€/M
2mm	0,20
3mm	0,33
4mm	0,44
5mm	0,55
8mm	1,25
10mm	1,80
11mm	2,40
12mm	2,60


34x7 Non-Rotating  
Compacted



Young Heung


mm	M.B.L	Siyah €/ M	Galvanizli €/ M
12mm	14,74		10,93
14mm	19,00	11,41	14,16
16mm	25,00	13,80	16,56
17mm	28,00	15,12	
18mm	33,11	17,26	20,29
20mm	40,81	21,29	24,02
21mm	44,99	22,61	
22mm	49,39	25,36	
23mm	54,01	27,02	
24mm	58,74	30,02	
25mm			36,32
26mm	67,97	35,47	41,80
28mm	79,97		47,09
30mm	88,00		52,38
32mm	104,5		59,08
34mm	117,92		65,82
36mm	126,9		70,99
38mm	141,00		76,13

4x37 C  
Galvanizli



mm	M.B.L	Galvanizli €/ M
30mm	79,10	39,63
32mm	90,00	43,63
34mm	101,60	50,60

U 4x39+SES  
Non-Rotating  
Swaged



mm	M.B.L	Galvanizli €/ M
28mm	59,00	21,48
32mm	78,00	26,95
33,5mm	83,00	28,40
36mm	93,00	32,90
38mm	102,00	37,30

8x26 C  
Plastik Dolgu




mm	M.B.L	Galvanizli €/ M
20mm	38,00	16,79
24mm	54,00	23,03
26mm	63,00	33,88
28mm	73,00	38,83
30mm	80,00	45,83
32mm	91,80	50,71
36mm	120,00	67,00
38mm	137,00	78,80

6x29F+IWRC




mm	M.B.L	Galvanizli €/ M
25	45,6 T	11,65
28	57,2 T	13,65
30	64,2 T	15,50

8x19 S+L.ÖZ  
ASANSÖR HALATI



mm	€/ M
8	1,60
10	2,20

8x19 W+Ç.ÖZ  
ASANSÖR HALATI




mm	€/ M
6,5	2,20
8	2,00

6x19S+PPC



mm	Galvanizli €/ M
12	2,86
14	3,65
16	4,60
18	5,80
20	7,11
22	8,61
24	10,30
26	11,95

İZOLELİ Ç.HALAT



mm	€/ M
2 / 3	0,28
3 / 4	0,42
4 / 6	0,70
5 / 7	0,89
6 / 8	0,95
8 / 10	1,40
10/12	1,93
12/14	2,78
14/16	3,52

SAPAN BASKI



mm	€/ M
6	3,63
8	4,33
10	5,74
12	7,47
14	8,77
16	9,95
18	12,11
20	14,61
22	16,22
24	21,63
26	27,10
28	28,12
30	41,20
32	49,75
34	71,40
36	75,70
38	89,90
40	101,00
44	133,00
48	171,00
52	221,00
56	270,00
60	335,00
64	473,00

# SAPAN AKSESUARLARI

## ALÜMİNYUM YÜKSÜK



mm	\$ / M
5	0,16
6	0,31
8	0,33
10	0,60
12	0,91
14	1,37
16	1,96
18	2,82
20	3,90
22	6,03
24	7,80
26	9,75
28	12,15
30	16,10
32	19,20
34	24,30
36	29,15
38	35,75
40	43,00
44	54,30
48	69,30
52	86,55
56	107,00
60	135,00
64	198,00

## RADANSA BS 464 DALDIRMA GALV.



mm	\$ / AD
6	0,49
8	0,60
10	1,08
12	1,65
16	2,58
20	4,38
22	6,49
26	8,96
28	12,41
32	15,66
36	22,97
40	32,96
44	61,80
48	75,71
56	85,49
64	167,89
72	216,30
80	348,14

## DOLU RADANSA



mm	Delik (mm)	\$ / M
22	38	25,00
24	41	29,00
26	44	42,00
28	47	50,00
32	53	70,00
36	59	101,00
40	65	134,00

## ÇELİK SOKET - YOKE SWAGED SOCKET



ø
1/2
5/8
3/4
7/8
1
1-1/8
1-1/4

Açık (Open)

\$ / M
61,00
75,00
92,00
131,00
181,00
206,00
234,00


Kapalı (Closed)

\$ / M
43,00
56,00
65,00
86,00
132,00
147,00
183,00


Baskı (Swaging)

\$ / M
35,00
59,00
80,00
88,00
102,00
108,00
128,00

## TAKVİYELİ RADANSA



mm	A (mm)	\$ / M
38	115	37,00
40	120	42,00
44	130	63,00
48-52	140	102,00
56	150	136,00
60-70	180	197,00
77	220	334,00
83-90	240	428,00



mm	Construction	Min. Kopma M.B.L (ton)	E.M.Ç Yüğü SWL (ton)	10 m. Sapan	Ç. Halat	Kg/M	RADANSA THIMBLE	
				10 m. Sling	S.W. Rope		A (mm)	€ / AD
G.71	6x41+1 WRC	353	64,8	€ / AD	Euro / m.	20,9	180	€ / AD
G.77	6x41+1 WRC	416	76,3	2.915,00	152,00	25,2	220	179,00
G.83	6x49+1 WRC	483	88,6	4.054,00	204,00	29,5	240	301,00
G.90	6x52+1 WRC	552	101,3	4.944,00	228,00	34,7	240	351,00
				5.732,00	252,00			

**GREEN PIN KİLİT**

**MIN KOPMA : 6xWLL**  
**EN 13889**  
**GALVANİZLİ**



G-4151  
Düz Kilit



G-4161  
Omega Kilit



G-4163  
Om. Somunlu Kilit

Ebat	WLL	€ / AD	€ / AD	€ / AD
1/2	2,00	13,25	13,25	14,00
5/8	3,25	17,30	17,30	22,30
3/4	4,75	22,90	22,90	29,00
7/8	6,50	31,20	31,20	39,10
1	8,50	44,30	44,30	56,90
1 1/8	9,50	66,80	66,80	78,00
1 1/4	12,00	82,50	82,50	113,30
1 1/2	17,00	162,75	162,75	191,60
1 3/4	25,00	279,15	279,15	297,00
2	35,00	369,00	369,00	397,00
2 1/4	42,50	596,00	596,00	660,00
2 1/2	55,00	733,00	733,00	799,00
3	85,00			1.113,00



**SUPER GREENPIN KİLİT GALV.**

**MIN KOPMA : 5xWLL**  
**RR-C-271**  
**G-5263**



Ebat	WLL	A(mm)	€ / AD
38/42	30T	60	318,00
45/50	40T	73	536,00
50/57	55T	83	703,00
65/70	85T	105	1.321,00
75/80	120T	127	2.030,00
89/95	150T	144	2.663,00
102/108	175T	165	3.922,00

**AĞIR YÜK KİLİDİ**  
**HEAVY DUTY SHACKLES**  
**MIN KOPMA : 5xWLL**

TEST SERTİFİKALI



P-6036

WLL(ton)	Ebad (mm)	€ / AD
120	95x95	2.431,00
150	105x108	3.481,00
200	120x130	5.232,00
250	130x140	6.304,00
300	140x150	8.045,00

TEST SERTİFİKALI

**SAPAN KİLİDİ**  
**SLING SHACKLES**  
**MIN KOPMA : 5xWLL**




P-6033

AxBxC (mm)	WLL(ton)	€ / AD
95x55x100	55	1.541,00
105x70x120	75	1.967,00
130x85x150	125	3.485,00
140x89x170	150	5.195,00
150x100x205	200	5.995,00

TEST SERTİFİKALI

**GREEN PIN SOKET**  
MIN KOPMA : 5xWLL



G-6412  
AÇIK

G-6411  
KAPALI

Ebat (mm)	WLL	€/ AD	€/ AD
23-26	12,6 T	273,00	170,00
27-30	16 T	401,00	218,00
31-36	20 T	487,00	294,00
37-39	25 T	634,00	378,00
40-42	32 T	782,00	489,00
44-48	40 T	1.133,00	755,00
49-54	50 T	1.600,00	1.083,00
55-60	64 T	2.138,00	1.333,00
61-68	80 T	3.100,00	1.674,00

Member of



Associated  
Wire Rope  
Fabricators




**WIRE LOCK KIT**  
SOKET YAPIŞTIRICISI

Litre	€/ AD
0,5	141,00
1	253,00



**DÖVME GERDİRME**  
FORGED TURNBUCKLE



inç	L (mm)	WLL (ton)	€/ AD
7/8	636	3,27	163,00
1	835	4,54	250,00
1-1/4	748	6,90	350,00
1-1/2	1069	9,71	741,00
1-3/4	1095	12,70	1.300,00
2	1338	16,80	1.567,00
2-1/2	1479	27,2	4.150,00

**DÖVME GERDİRME**  
FORGED TURNBUCKLE



D. MARINE TECH



inç	WLL (ton)	\$ / AD
5/8x9	3,27 T	38,00
3/4x9	4,54 T	50,00
7/8x12	3,27 T	61,00
1x18	4,54 T	90,00
1 1/4x12	6,90 T	141,00
1 1/2x24	9,71 T	344,00
1 3/4x24	12,70 T	459,00
2x24	16,78 T	634,00
2 1/2x24	27,20 T	1.748,00
2 3/4x24	34,00 T	1.850,00



**KAPALI "SPELTER" SOKET**  
Galvanizli

Halat /mm	MBL / Ton	€ / AD
18-19	40	71,00
20-22	55	74,00
23-26	75	98,00
27-30	90	124,00
31-36	125	183,00
37-39	150	226,00
40-42	170	293,00
43-48	225	441,00
49-54	280	628,00
55-60	360	773,00
61-68	450	952,00



**AÇIK "SPELTER" SOKET**  
Galvanizli


Halat /mm	MBL / Ton	Kopilyalı	Somunlu
		€ / AD	€ / AD
18-19	40	76,00	120,00
20-22	55	107,00	155,00
23-26	75	155,00	227,00
27-30	90	224,00	291,00
31-36	125	274,00	396,00
37-39	150	363,00	554,00
40-42	170	446,00	523,00
43-48	225	659,00	873,00
49-54	280	916,00	1.160,00
55-60	360	1.213,00	1.560,00



**AÇIK "KAMALI" SOKET**  
Galvanizli

Halat /mm	MBL / Ton	€ / AD
11-13	20	74,00
14-16	25	93,00
17-19	40	127,00
20-22	55	187,00
23-26	75	244,00
27-29	90	358,00
30-32	110	543,00
34-36	125	649,00





# GR10 KITO-WEISSENFELS-ITALYA ZİNCİR VE AKSESUARLARI

ASTM A973M		EN 1677		Halka		Zincir (mm)		EN 1677		Dörtlü Halka		EN 1677 - 4		Dörtlü Kısaltma		EN 1677 - 4		Dörtlü Kısalt		EN 1677 - 4		TEKLI HALKA		EN 1677 - 4		ÇİFTLİ HALKA		EN 1677 - 4		RTLÜ HAL		EN 1677 - 4	
WLL / TON	ZİNCİR	mm	€/ Ad.	mm	TEK	ÇİFT	mm	mm	Dörtlü Halka	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	m	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	m	€/ Ad.	mm	€/ Ad.		
1.4	6	13	8,15	18	8,15	8,15	6	41,70	6	66,00	6	159,20	6	26,70	6	37,85	6	100,00	6	100,00	6	100,00	6	100,00	6	100,00	6	100,00	6	100,00	6	100,00	
2.6	8	16	11,60	22	11,60	11,60	8	64,90	8	121,00	8	257,50	8	34,00	8	51,00	8	130,00	8	130,00	8	130,00	8	130,00	8	130,00	8	130,00	8	130,00	8	130,00	
4	10	18	14,65	26	14,65	14,65	10	83,45	10	149,00	10	372,00	10	40,20	10	75,00	10	162,00	10	162,00	10	162,00	10	162,00	10	162,00	10	162,00	10	162,00	10	162,00	
6.8	13	22	23,00	32	23,00	23,00	13	155,00	13	280,00	13	622,00	13	64,00	13	107,00	13	258,00	13	258,00	13	258,00	13	258,00	13	258,00	13	258,00	13	258,00	13	258,00	
10.3	16	26	33,25	36	33,25	33,25	16	232,00	16	439,00	16	968,00	16	97,00	16	177,00	16	390,00	16	390,00	16	390,00	16	390,00	16	390,00	16	390,00	16	390,00	16	390,00	
16	20	36	57,50	51	57,50	57,50	20	450,00	20	---	20	---	20	---	20	---	20	---	20	---	20	---	20	---	20	---	20	---	20	---	20	---	
19	22	40	133,00	51	133,00	133,00	22	665,00	22	---	22	---	22	---	22	---	22	---	22	---	22	---	22	---	22	---	22	---	22	---	22	---	

## GR - 10 ZİNCİR SAPAN YAPIMI İÇİN MALZEME SEÇİM ŞEMASI

Zincir	Tekli Sapan		Çiftli Sapan		3-4 Sapan	
	TON	TON	TON	TON	TON	TON
6	1.4	2	1.4	3	2.12	2.12
8	2.5	3.55	2.5	5.3	3.75	3.75
10	4	5.6	4	8	6	6
13	6.7	9.5	6.7	14	10	10
16	10	14	10	21.2	15	15
19	14	20	14	30	21.2	21.2

Dörtlü MEGA HALKA	Ölçüler / mm		Dörtlü HALKA	Ölçüler / mm	
	mm	Yük		mm	Yük
27	430	220	23	160	110
33	430	220	27	190	110
40	430	220	50	350	250

Zincir	WLL / TON	EK KİLİDİ		A KANCA		B KANCA		F KANCA		C KANCA	
		mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.	mm	€/ Ad.
6	1.4	6	14,20	6	23,10	6	56,80	6	16,70	6	16,70
8	2.5	8	16,70	8	30,85	8	73,90	8	17,90	8	17,90
10	4	10	25,75	10	50,25	10	120,50	10	24,35	10	24,35
13	6.7	13	46,35	13	89,35	13	192,70	13	44,00	13	44,00
16	10	16	72,60	16	135,00	16	518,00	16	77,00	16	77,00
19	19	19	93,00	19	283,00	19	652,00	19	138,00	19	138,00



# ZİNCİR SAPANLAR

## GR80 - EKONOMİK SERİ



WLL/TON	Zincir		Halka			Dörtü Halka		Ek Kilidi		A Kanca		B Kanca		C Kanca		
	mm	\$ / m.	mm	TEK	ÇİFT	\$ / Ad.	mm	\$ / Ad.	Kod	\$ / Ad.	W(mm)	\$ / Ad.	Kod	\$ / Ad.	Kod	\$ / Ad.
2	8	8,80	16	8	6	6,50	22	15,15	E-8	3,90	A-8	5,30	B-08	12,90	C-8	3,75
3,15	10	13,75	18	10	8	8,95	26	22,90	E-10	4,75	A-10	8,35	B-10	22,00	C10	7,95
5,3	13	23,70	22	13	10	14,95	32	57,40	E-13	7,00	A-13	15,50	B-13	38,00	C-13	14,30
8	16		26	16	13	18,40	36	114,70	E-16	11,00	A-16	27,00	B-16	73,00	C-16	24,00

### FIÇI SAPAN DRUM LIFTER GR80



6 mm Zincir \$ / Ad.: 54

### EĞRİ KANCALI ZİNCİR SAPAN GR80 / BOY : 2.7M



mm	WLL (ton)	Kg / Ad	\$ / Ad.
7,1	1,5	5,5	39,40
8	2	6,6	45,22
10	3	9,4	63,00
13	5	14,2	83,00





**JUNGHEINRICH**

KAPTAN-DAHUA WLL 5000KG L:12M


KAPTAN-DAHUA WLL 8000KG L:4M

KAPTAN-DAHUA WLL 50t L:12M SF 7:1

KAPTAN-DAHUA WLL 10000KG L:4M

KAPTAN-DAHUA WLL 2000KG L:4M

KAPTAN-DAHUA WLL 10000KG L:4M



# KAPTAN - DAHUA POLYESTER SAPAN 7:1



## DAHUA GÖZLÜ 7:WLL



	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.
TON	1m	2m	3m	4m	5m	6m	8m	10m	12m
2	3,74	6,43	9,09	11,71	14,40	17,09	22,43	27,81	33,15
3	5,34	9,31	13,31	17,22	21,18	25,18	33,15	41,15	49,12
4		12,74	18,24	23,62	29,12	34,62	45,63	56,64	67,65
5		16,83	24,16	31,33	38,66	45,98	60,67	75,33	90,02
6		21,15	30,40	39,39	48,64	57,86	76,32	94,78	113,28
8			42,02	54,40	67,10	79,81	105,18	130,59	155,97
10			52,10	67,50	84,20	99,10	130,65	162,20	193,80
12			58,65	76,00	93,80	111,55	147,10	182,70	218,20
20				164,80	198,20	231,60	298,30	365,00	431,80
30				254,20	321,00	384,00	480,00	629,00	678,00

## DAHUA SONSUZ 7:WLL



	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.
TON	1m	2m	3m	4m	6m	8m	10m	12m
1	2,74	4,79	6,83	8,88	12,97	17,06	21,15	25,21
2	4,26	7,76	11,22	14,69	21,65	28,61	35,57	42,50
3	6,14	11,32	16,50	21,71	32,08	42,47	52,83	63,23
5	9,97	18,65	27,32	36,00	53,39	70,75	88,11	105,47
10			56,70	74,60	110,45	146,30	182,20	218,00
20			121,25	159,20	235,00	311,00	386,40	462,20
30				255,00	376,00	497,00	618,00	740,00
50				458,40	676,50	894,60	1113,00	1.331,00
80				779,00	1.150,00	1.521,00	1.892,00	2.263,00
100				1.022,00	1.509,00	1.996,00	2.483,00	2.970,00

## KAPTAN - DAHUA POLYESTER SAPAN 6:1

### DAHUA GÖZLÜ 6x WL WEBBING SLING




	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.
Ton	1m	2m	3m	4m	5m	6m	8m	10m	12m	16m
2	3,14	5,31	7,46	9,57	11,74	13,92	18,27	22,59	26,94	
3	4,48	7,71	10,98	14,14	17,41	20,64	27,17	33,66	40,16	
4		10,50	14,98	20,48	23,81	28,32	37,28	46,24	55,20	
5		14,85	21,28	27,58	34,02	40,48	53,38	66,27	79,14	
6		17,12	24,54	31,78	39,20	46,59	61,44	76,29	91,14	
8			35,39	45,86	56,58	67,30	88,74	110,14	131,58	
10			45,80	59,30	73,15	87,00	114,75	142,40	170,10	
12			55,20	71,50	88,30	105,00	138,40	171,85	205,30	
20				144,70	174,00	203,30	261,90	320,40	379,00	467,00
30				208,00	250,00	292,00	380,00	463,00	545,00	712,00

### DAHUA SONSUZ 6x WLL ROUND SLING



	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.
TON	1 m	2 m	3 m	4 m	6 m	8 m	10mm	12mm
1	2,65	5,00	6,35	9,20	14,00	---	---	---
2	3,50	6,35	9,50	13,00	18,60	---	---	---
3	5,15	9,95	14,30	19,10	28,10	---	---	---
5	7,80	14,60	21,60	27,90	43,10	---	---	---
10	---	---	50,90	65,70	99,00	133,00	169,00	202,00
20	---	---	114,00	136,00	208,00	255,00	336,00	405,00
30	---	---	---	215,00	330,00	403,00	533,00	642,00
50	---	---	---	372,00	570,00	708,00	921,00	1114,00
80	---	---	---	608,00	915,00	1.204,00	1.490,00	1.872,00
100	---	---	---	815,00	1.252,00	1.555,00	2.025,00	2.430,00

### GR80 SAPAN EK KİLİDİ



mm	A x B (mm)	\$ / Ad.
8	40x18	10,20
10	47x25	14,10
13	53x30	22,40
16	67x36	41,00

### YERLİ OTO YÜK BANTI



Bant (mm)	Gergi Kapasitesi	Boy (m)	\$ / Ad.
25			3,45
35	2 T	6 M	5,50
50	4 T	10 M	7,90
50	4 T	12 M	8,30
50	5 T	10 M	12,80
50	5 T	12 M	14,00
75	10 T	10 M	85,00

# AXIOM - MAN HO

## 3 Kollu PoliPropilen Halat Axiom - Dan Strong

- \* Fabrika Sertifika
- \* Roda = 220m
- \* Renk Yeşil

mm	Kg/Roda	USD / Kg.
6	3,46	5,00
8	6,5	5,00
10	9,5	5,00
12	14	5,00
14	19	5,00
16	24,5	5,00
18	32	5,00
20	38,2	5,00
22	47	5,00
24	55	5,00
26	65	5,00
28	75	5,00
32	98	5,00
36	123	5,00
40	151	5,00

## 8 Kollu PoliPropilen Halat Man Ho - Hi Man

- \* Lloyd Sertifika
- \* Roda = 220m
- Renk : Mavi

mm	Kg/Roda	USD / Kg.
48	228	5,10
52	268,4	5,10
56	312,4	5,10
60	358,6	5,10
64	407	5,10
68	461	5,10
72	515	5,10
76	576,5	5,10
80	638	5,10
88	772	5,10
96	918	5,10
104	1078	5,10

## 8 Kollu PoliPropilen Halat Axiom - Dan Strong

- \* Lloyd Sertifika
- \* Roda = 220m
- \* Renk Yeşil

mm	Kg/Roda	USD / Kg.
40	150,1	5,00
48	217,5	5,00
52	257	5,00
56	296,4	5,00
60	341	5,00
64	387	5,00
68	438	5,00
72	489	5,00
76	553,1	5,00
80	606	5,00
88	733	5,00
96	870	5,00
104	1024	5,00

## 3 Kollu PoliPropilen Halat Man Ho - Hi Man

- \* Fabrika Sertifika
- \* Roda = 220m
- \* Renk Yeşil

mm	Kg/Roda	USD / Kg.
12	15,3	5,92
14	20,7	5,92
16	26,6	5,92
18	34,2	5,92
20	41,8	5,92
22	50,6	5,92
24	60,2	5,92
26	70,2	5,92
28	81,2	5,92
30	96,00	5,92
32	106,4	5,92
36	134,2	5,92
40	167,2	5,92

## 8 Kollu Mix Halat Axiom - Marine Maxi

- Anti Kıvılcım \* Tankerler için!
- Lloyd sertifikalı \* Roda = 220m
- %40 Poylester \* %60 P.P.

mm	Kg/Roda	USD / Kg.
40	165	5,85
48	239	5,85
52	280	5,85
56	326	5,85
60	375	5,85
64	425	5,85
68	480	5,85
72	538	5,85
76	601	5,85
80	665	5,85

## 6 Kollu Tirol Halatı Man Ho - Compound



- \* Fabrika Sertifika
- \* Renk Mavi

mm	Kg/m	USD / Kg.
26	0,83	6,65
28	1,02	8,25
30	1,23	10,70

## KUYRUK HALAT SUPER FLEX, BOY: 11m



mm / Kg	MBL / Ton	USD / Ad.
64/69	81,6	301,00
72/48	102	375,00
80/59	125	468,00
88/70	148	520,00

## DSR D-FLEX 8 KOL

### Tanker Halatı

- MEG4 & LLOYD SERTİFİKA
- Roda = 220m

mm	Kg/Roda	USD / Kg.
40	180,4	7,50
48	259,6	7,50
52	297,00	7,50
56	354,2	7,50
60	396,00	7,50
64	446,60	7,50
72	561,00	7,50





AM 50046871  
AM 50046872  
AM 50095066



S 50029228  
S 50031780

ISO9001: 2000  
4004Q11533ROM



T05567



YAL TİP HUBZUG  
GR80  
ZİNCİR 1,5 m.

WLL / TON	Kg / Ad.	\$ / Ad.
3	19,3	196,00
6	31,3	319,00
9	42	493,00



KIT-III HUBZUG  
GR10  
ZİNCİR 1,5 m.  
HAFİF VE COMPACT

WLL / TON	KG / ADET	\$ / Ad.
3,00	15,5	238,00
6,00	27	370,00

### ZİNCİRLİ LASHİNG GERDİRME



13mm Lashing Gerdirme: \$ / Ad : 34,50

13mm 6m 2 ucu Kancalı Lashing Zincir : \$ / Ad : 88,80

# APARATLAR


## ZİNCİRLİ ÇEKTİRME LOAD BINDERS

### GR80 HONSUN



WLL (Ton)	Zincir	\$ / Ad.
2,5	8mm-10mm	42,25
4,2	10mm-13mm	45,35
5,9	13mm-16mm	57,70

## SAPAN HALKASI GR80



mm	A x B (mm)	WLL (ton)	\$ / Ad.
16	150x75	4	6,50
19	140x75	5,5	9,00
26	180x90	11	17,40
32	220x110	16,4	30,50
38	270x140	25,6	52,00
45	305x155	38,5	82,00
50	350x180	46,5	138,00
58	400x200	64,9	190,50
62	405x200	72,6	260,00
75	455x230	103	406,00
87	610x305	126	776,00

## 4'LÜ SAPAN HALKASI GR80



mm	A x B (mm)	WLL (ton)	\$ / Ad.
20	160x95	5,5	16,00
22	160x95	6,6	23,40
26	190x110	9,4	36,70
32	230x130	14,2	78,40
38	275x150	22,3	117,50
45	340x180	33,5	173,00
50	350x190	40,8	250,00
56	400x200	56,8	400,00

## GR80 FIRDÖNDÜ EYEBOLT



M	WLL / T	€ / Ad.
8	0,3	29,60
10	0,45	32,22
12	0,6	34,84
16	1,4	37,46
20	2,5	42,70
24	3,5	64,19
30	5,3	91,70
36	8	157,20
42	10	262,00
48	12,5	353,70
56	17	812,20
64	20	1008,70

## EYEBOLT & EYENUT



M	€ / Ad.
8	1,68
10	1,78
12	2,04
16	3,20
20	4,62
24	9,34
30	19,42
36	30,97
42	47,25
48	74,13
56	140,70
64	172,72



YOKE - KULPLU KANCA  
GR10  
EL EMNİYETİ

WLL (Ton)	\$ / Ad.
4	72,75
6,7	111,00
10	259,00



EMNİYETLİ KANCA  
GR10  
TESTLİ - SERTİFİKALI

WLL (Ton)	\$ / Ad.
1,2	9,55
2	10,50
3,15	18,40
5,3	34,10
8	74,20
12,5	135,00
15	183,00
21,2	515,00

GÖZLÜ KANCA

GR80  
DÖKÜM MANDALLI  
TESTLİ - SERTİFİKALI



WLL (ton)	\$ / Ad.
1,12	3,00
2	5,75
3,15	6,85
5,3	14,60
8	25,60
12,5	51,00
15	80,00
21,2	199,00
31,5	384,00

YEDEK  
MANDAL



\$ / Ad.

1,55
1,70
2,00
2,95
3,40
5,75
8,50
17,20
24,30

ZİNCİR KANCASI



mm	\$ / Ad.
6	1,65
8	2,70
10	3,35
13	7,25

EĞRİ KANCA



\$ /Adet 2,75

GÖZLÜ KANCA



Em. Ç.Y. (ton)	\$ / Ad.
0,75	1,50
1	1,96
1,5	2,50
2	3,60
3	4,75
4,5	8,40
7	15,50

FIRDÖNDÜ KANCA



Em. Ç.Y. (ton)	\$ / Ad.
1	4,80
1,5	6,00
2	11,25
3	14,00
4,5	25,00
7	43,00

EM.FIRDÖNDÜ KANCA



Em. Ç.Y. (ton)	\$ / Ad.
1,2	13,00
2	19,00
3,2	26,10
5,4	57,20
8,2	112,50
12,5	212,90
15	421,20

KAYAR KANCA  
GR80




mm	Em.Ç.Y (ton)	\$ / Ad.
9-13	1,25	9,20
14-16	2	15,15
17-19	3	25,50
20-26	5	52,00

# KİLİTLER

## HONSUN KİLİTLER - DALDIRMA GALVANİZ FORGED SHACKLES

M.B.L : 6X1



Düz

Omega

Düz Somunlu

Om. Somunlu

Ebat	Em Ç.Y (ton)	\$ / Ad.	\$ / Ad.	\$ / Ad.	\$ / Ad.
1/2	2	2,40	2,66	2,45	2,75
5/8	3,25	3,70	4,15	3,85	4,30
3/4	4,75	5,65	6,30	6,00	6,70
7/8	6,5	8,25	9,20	9,10	10,20
1	8,5	11,90	13,35	13,00	14,55
1 1/8	9,5	16,45	18,45	18,20	20,35
1 1/4	12	22,55	25,25	24,70	27,65
1 3/8	13,5	31,15	34,90	33,75	38,00
1 1/2	17	39,80	44,60	42,40	48,00
1 3/4	25	71,40	80,00	77,00	87,00
2	35	103,00	116,00	109,00	122,00

## DÜZ KİLİT (Yük taşımaz, bağlantı için)



mm	\$ / Ad.
6	0,31
8	0,37
10	0,50
12	0,77
16	1,51
19	2,75

## TONAJLI KİLİTLER

M.B.L. : 4x1



Düz

Omega

Om. Somunlu

Ebat	Em Ç.Y (ton)	\$ / Ad.	\$ / Ad.	\$ / Ad.
3/8	1	1,43	1,51	
1/2	2	2,35	2,42	2,85
5/8	3,25	3,80	3,90	4,65
3/4	4,75	5,25	5,45	6,40
7/8	6,5	8,10	8,10	9,55
1	8,5	11,00	11,50	13,55
1 1/8	9,5	16,25	16,80	19,60
1 1/4	12	22,80	23,80	26,00

## D-RING



M.B.L 36 T : \$ / AD : 38

## JIS TİP AÇIK SOKET DÖVME ÇELİK DALDIRMA GALV.



mm	\$ / Ad.
32	221,00
34	266,00
36	397,00

## JIS TİP DOLU RADANSA



mm	mm / Delik	\$ / Ad.
30	26/45	62,00
32	28/45	85,00
36	33,5/50	103,00
38	33,5/50	146,00
45	36/70	174,00

## MANDAL SHACKLE



Tip	Kg / AD	Halat/mm	Galv / \$	Inox / \$
90 Ton	12	48-72	377,00	822,00
120 Ton	16	72-88	489,00	985,00
180 Ton	40	88-120		1.937,00

# KLEMENS - GERDİRME - KARABİNA - FIRDÖNDÜ

## KLEMENS A TİP



mm	\$ / Ad.	AD / ÇUVAL
6	0,13	1.500
8	0,18	800
10	0,44	400
12	0,71	200
16	1,10	100
20	1,94	70
22	2,60	50
26	4,20	40
28	5,80	20
32	7,55	20
40	12,25	10

## KLEMENS DIN 741



mm	\$ / Ad.	Ad / Çuval
3	0,09	2000
5	0,11	2000
6	0,13	2000
8	0,20	1000
10	0,34	320
13	0,64	200
16	1,05	200
19	1,20	100

## KLEMENS Dövme




inç	\$ / Ad.
1/2	1,53
5/8	2,05
3/4	2,85
7/8	4,25
1	4,91
1-1/8	5,61
1-1/4	8,02
1-1/2	10,00
1-5/8	22,41
2	46,89

## GERDİRME



mm	\$ / Ad.	Ad / Çuval
6	0,28	250
8	0,47	200
10	0,75	80
12	1,35	50
16	2,57	30
20	4,50	20
22	5,50	15
24	7,84	10
28	16,22	6
32	20,60	

## GERDİRME Amerikan Tip



inç	A (cm)	\$ / Ad.
1/2	22	5,25
5/8	37	9,50
3/4	37	14,10
7/8	37	23,30
1	55	45,00
1-1/4	55	92,25
1-1/2	73	144,00

## GERDİRME Japon Tip



mm	\$ / Ad.
32mm	31,95

## KARABİNA



Vidalı

mm	\$ / Ad.	\$ / Ad.
4	0,22	
5	0,23	0,37
6	0,25	0,46
7	0,39	
8	0,52	7,21
9	0,59	
10	0,81	1,13
11	1,24	1,46
12	1,76	2,02
13	2,67	
14	3,58	

## FIRDÖNDÜ



GÖZ / GÖZ

GÖZ / KİLİT

mm	\$ / Ad.	\$ / Ad.
6	1,51	
8	2,00	
10	3,00	
13	4,95	7,60
16	6,65	10,85
19	11,35	17,50
22	15,65	24,90
26	29,75	45,45
32	55,70	
38	163,00	


## GERDİRME Hamburger




EBAD	\$ / Ad.
24mm	17,50
27mm	22,70

# PASLANMAZ (INOX) MALZEMELER

## AISI 316 KROM HALATLAR EN 12385-4




1x19




7x19

mm	\$ / m.	\$ / m.
2		0,35
3		0,59
4		0,97
5		1,43
6		2,10
8	4,20	3,35
10	6,35	5,20
12	9,05	7,50
14	12,60	10,40
16	16,80	13,65
19	25,20	22,10
22	31,50	

## AISI 304 KROM HALATLAR EN 12385-4



1x19



7x19

mm	\$ / m.	\$ / m.
2		0,29
3		0,45
4		0,74
5		1,07
6		1,55
8		2,30
10		3,80
12		5,25
14		
16	9,90	
19		

## RADANSA AISI 316



mm	\$ / Ad.
2	
3	0,20
4	0,26
5	0,37
6	0,48
8	0,69
10	1,26
12	1,58
14	
16	
19	

## KLEMENS AISI 316



\$ / Ad.
0,95
1,00
1,05
1,37
1,90
3,85
6,00

## AISI 316 7X7 INOX HALAT

mm	Konstrüksiyon	\$ / m.
1,5	7x7	0,18
2	7x7	0,28
6	7x7	2,21
8	7x7	3,75

## AISI 304 7X7 INOX HALAT

mm	Konstrüksiyon	\$ / m.
1	7x7	0,11
1,2	7x7	0,14
1,5	7x7	0,17
1,8	7x7	0,25

## AISI 316 TROL HALAT

mm	Konstrüksiyon	\$ / m.
8	6*19S+Ç.ÖZ	4,31
10	6*19S+Ç.ÖZ	6,20
11	6*19S+Ç.ÖZ	7,50
12	6*19S+Ç.ÖZ	8,85

### DÜZ KİLİT



mm	\$ / Ad.
5	1,05
6	1,32
8	2,12
10	3,31
12	5,12
16	13,65
20	24,26
22	33,00
25	42,25

### OMEGA KİLİT



\$ / Ad.
1,49
2,47
3,78
6,10
15,30
30,70
37,50
48,95

### UZUN KİLİT



\$ / Ad.
1,74
2,78
4,95

### BURGU KİLİT



\$ / Ad.
3,60
6,00
9,00

# PASLANMAZ (INOX) MALZEMELER

## ZİNCİR



mm	\$ / m.
2	1,97
3	4,05
4	7,70
5	11,65
6	18,45
8	32,30
10	53,00
12	72,00
16	135,20

## FIRDÖNDÜ



mm	\$ / Ad.
5	
6	2,33
8	3,90
10	7,33
11	
12	15,13
16	28,90
19	50,00

## KARABİNA



\$ / Ad.
1,10
1,37
2,63
4,15
7,25

## VİDALI KARABİNA



\$ / Ad.
1,95
3,42
5,10
7,70

## LİFTİN




mm	\$ / Ad.
10	18,40
12	23,85
14	30,30
16	54,10
18	96,30

## KOÇ BOYNUZU



mm	\$ / Ad.
250	22,75
300	28,15



## BANKA HESAP NUMARALARI (KAPTAN A.Ş.)

BANKA ADI	IBAN NO
GARANTİ İŞ BANKASI Y.K.B. AKBANK ZİRAAT B.	TR61 0006 2000 3270 0006 2004 59
	TR57 0006 4000 0011 1500 0561 62
	TR25 0006 7010 0000 0070 5022 55
	TR79 0004 6008 3988 8000 0236 98
USD GARANTİ İŞ BANKASI	TR51 0006 2000 3270 0009 0012 23
	TR55 0006 4000 0021 1503 9690 76
EURO GARANTİ İŞ BANKASI	TR49 0006 2000 3270 0009 0993 26
	TR32 0006 4000 0021 1503 9970 38

### MERKEZ

Demirciler Sitesi 3. Yol No: 54 34010 Zeytinburnu - İSTANBUL  
Tel: (0212) 679 69 10 (4 Hat) Fax: (0212) 582 99 45

### SATIŞ MERKEZİ

Fevzi Çakmak Cad. Kanarya Sok. 41435 Şekerpinar - Çayırova  
Tel: (0262) 658 05 87 (4 Hat) Fax: (0262) 658 85 27

Tel: 44 44 989

www.kaptancelik.com • e-mail: info@kaptancelik.com